



UNDERWATER DRONES

Index

Drones

Fifish E-Master

Fifish V-EVO

Fifish E-Go

Fifish V6 Expert

Fifish Pro W6

Page numbers

3

16

25

35

46



FIFISH E-MASTER



Inspection Measurement Survey

Product

Highlights



The FIFISH E-MASTER is a revolutionary industrial AI underwater robot, engineered for high-precision measurements, inspections, and surveys in complex marine environments. With advanced sensors and sonars, it ensures unmatched accuracy and reliability. Its modular design allows for quick and efficient component changes, including accessory swaps and power replacements.

Designed for Masters

Industries

- Underwater Construction & Inspection
- Shipping & Maritime
- Tank & Pipeline Inspections
- Offshore Energy

Professions

- Surveyors & Inspectors
- Engineers & Technicians
- Environmental Scientists
- Marine Researchers

Requirements

- Reliable in inspections strong currents
- Easy-to-repair tool for extended inspections
- Hassle-free subsea measuring, surveying, navigation capability
- Daily/ weekly monitoring solution



High-Precision

Technologies



Q-DVL

Dynamic & Steady Hovering

The E-MASTER features forward and downward Q-DVLs for stable hovering and strong omnidirectional flow resistance of up to 3 knots. It remains stable in turbulent conditions and supports functions like collision avoidance, distance measurement, and altitude maintenance. The system automatically prevents collisions with obstacles, ensuring safety during underwater operations while maintaining distance from objects and height from the seabed.

U-INS

Subsea Automatic Navigation

The U-INS system delivers advanced autonomous navigation for the FIFISH E-MASTER by utilizing deep learning and sensor data to provide precise position, velocity, heading, and attitude information. It supports automated path planning, intuitive one-click return, and real-time motion tracking with visual reference of historical paths. Users benefit from efficient, self-guided movement and detailed location and trajectory display, including custom maps and POI recording.



High-Precision

Technologies



QY-MT

Real-time & Offline Smart Measurement

The QY-MT system offers advanced AI-powered underwater measurement capabilities. Utilizing the Forward Q-DVL and laser, along with proprietary AI algorithms, operators can analyze and measure underwater objects, fractures, and damage with 99.7% accuracy. The system provides users with dynamic, adaptive, and precise multi-angled measurements, real-time data visualization, and customizable displays for comprehensive and non-destructive assessments.


QY-BT

2D & 3D Seafloor Mapping

The integrated Q-DVL and Echosounder on the E-MASTER enables automated, precise underwater data collection. Users can survey seabeds, riverbeds, and reservoirs, and create customizable 2D/3D topographic maps, estimate reservoir capacities, and generate data reports with a single click. The system streamlines the mapping process and allows for efficient data collection, customizable map outputs, and seamless export and upload of data.



Powerful Ring-Wing Propulsion



At its core, the FIFISH E-MASTER features an innovative ring-wing motor system, achieving speeds of 3 knots and demonstrating strong resistance in challenging waters. It incorporates six high-performance metal wing propellers with an expanded blade area, resulting in a 30%* power increase while ensuring remarkable reliability, wear resistance, and corrosion protection.

Vivid Lighting System

Boasting multi-lamp LED lights, FIFISH E-MASTER provides up to 10,000 lumens of brightness and a 160° beam angle with adjustable intensity across three levels.



Design and Expansion

Fluid Modular Design

The E-MASTER's modular architecture integrates essential components of the robot - including the motor, imaging, lighting, and battery - enabling rapid assembly, disassembly, and precise troubleshooting. Battery and accessory removal is achieved within seconds, while spare part replacement can be completed within 5 minutes, delivering a major boost to operational efficiency.



Enhanced Multi-Port Expansion

Through a meticulous internal redesign, FIFISH E-MASTER is equipped with dual load interfaces on both the top and bottom of the body. Utilizing professional expansion docks (optional), it can accommodate up to 6 operational tools simultaneously.



Swappable Dual Power System

FIFISH E-MASTER features an upgraded circuit design with a dual battery system, employing advanced hot-swappable technology. This enables seamless alternating battery replacement without powering down or restarting, instantly revitalizing FIFISH E-MASTER to full power.



FIFISH E-MASTER PLUS (200m Tether)



- 1 x ROV (200m depth rating)
 - 10,000 Lumen (2x5000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - Pre-installed removable battery (2 x 69.12Wh)
- 2 x Extensible Q-interface for multiple add-on options
- 1 x 200m Tether with manual waterproof spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for E-GO)
- 1 x Upper tool mount
- 1 x Hard case
- 1 x Tool kit and box
- 1 x Echosounder Altitude lock and Bathymetry
- 1 x Forward Q-DVL (Distance lock & forward station lock hovering)
- 2 x Laser scaler

FIFISH E-MASTER NAVI (200m Tether)



- 1 x ROV (200m depth rating)
 - 10,000 Lumen (2*5000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - Pre-installed removable battery (2 * 69.12Wh)
 - 2 * Extensible Q-interface for multiple add-on options
- 1 x 200m Tether with manual waterproof spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for E-GO)
- 1 x Upper tool mount
- 1 x Hard case
- 1 x Tool kit and box
- 1 x Echosounder □ Attitude lock and Bathymetry
- 1 x Forward Q-DVL (Distance lock & forward station lock hovering)
- 2 x Laser scaler
- 1 x Downward Q-DVL-M: Station Lock Hovering/Inertial Navigation(U-INS)
 - Depth Rating □ 200m
 - Transducer Frequency □ 600 kHz -Transducer Setup □ 4-beam convex array
 - Min. Altitude □ 15cm
 - Max. Altitude □ 50m
 - Max. Velocity □ 4m/s -Velocity Resolution □ 0.1 mm/s

Comparison



Attribute	FIFISH E-Master-Plus	FIFISH E-Master-Navi
ROV	Yes	Yes
Depth Rating	200m	200m
Lighting	10,000 Lumen (2x5000)	10,000 Lumen (2x5000)
Storage	128GB + SD Card Slot	128GB + SD Card Slot
Battery	2 x 69.12Wh	2 x 69.12Wh
Q-Interfaces	2	2
Tether	200m + Manual Spool	200m + Manual Spool
Remote Controller	Yes	Yes
Chargers	2	2
Upper Tool Mount	Yes	Yes
Hard Case	Yes	Yes
Tool Kit & Box	Yes	Yes

Attribute	FIFISH E-Master-Plus	FIFISH E-Master-Navi
Tool Kit & Box	Yes	Yes
Echosounder (Attitude/ Bathymetry)	Yes	Yes
Forward Q-DVL (Distance/Hover)	Yes	Yes
Laser Scaler	2	2
Downward Q-DVL-M	No	Yes
Downward Q-DVL-M Features	No	Station Lock Hovering/Inertial Navigation (U-INS) Depth Rating: 200m Transducer Frequency: 600 kHz Transducer Setup: 4-beam convex array Min. Altitude: 15cm Max. Altitude: 50m Max. Velocity: 4m/s Velocity Resolution: 0.1 mm/s



FIFISH V-EVO



Product

Highlights

4K

4K · 60 FPS
Camera



AI Vision
Lock



166° Ultra-wide
View




2 Knots Flow
Resistance



-10~60°C Operating
Temperature



Up to 4 Hours
Dive Time
(4 hrs. Hover, 1 hr.
Full Mobility)



100m Dive
Depth



3 Knots
Speed



5000 Lumen
LED Lights

FIFISH V-EVO by QYSEA delivers 4K UHD video shooting at 60 frames per second, along with an ultra-wide 166-degree field of view. Reach new standards in underwater imaging, capturing powerful visuals both vivid and memorable.

Imagination to 4K Reality

1

4K.60FPS Cinematics, Powerful & Smooth, High Frame-rate Capture

2

Discover Far & Wide
166° Ultra Wide-angle Viewing & Recording

3

Elevate Your Visuals
Real-time Color Balance & Image Enhancements

4

See Clearer with AI
Adaptive AI Sea Plankton Filtering Algorithm

5

Explore Without Limits
360° Omnidirectional Mobility



VR Immersive

Control

Delivering unique sensory controls powered by the FIFISH APP and smart Goggle, take full 360° control of the FIFISH's view and path simply by moving and turning your head. Smart, accurate and easy to use, empower your dives with the all-new FPV control.

AI Vision Lock


FIFISH V-EVO's Vision Lock feature unleashes a range of intuitive capabilities that keep your subjects securely in focus. Determine the position of objects with high precision, adaptively and automatically moving to lock onto subjects in real-time.



Glide Through

The Waters

Hydrodynamic, fluid and rugged water droplet design delivering minimal resistance to ocean currents and increased dive lengths.



OmniView Dynamic

Camera Movements

Reach beyond the limits of traditional methods, achieve full 360° freedom in underwater mobility, hovering and posture holds. Turn your creative imagination into cinematic 4K imaging reality.

1

Panning Camera

2

360° Tracking

3

Camera Tilt Shot

4

Barrel Rolls & Transitions

5

FPV Cinematography



AI Vision Lock

FIFISH V-EVO's Vision Lock feature unleashes a range of intuitive capabilities that keep your subjects securely in focus. Determine the position of objects with high precision, adaptively and automatically moving to lock onto subjects in real-time.



FIFISH V- EVO Standard



- 1 x ROV (100m depth rating)
 - 5,000 Lumen (2 x 25000 Lumen LEDs)
 - 64GB (Pluggable SD card slot)
 - 97.2Wh built-in battery
 - 1 x Q-interface for multiple add-on options
- 1 x 100m tether with manual spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V-EVO)
- Carton and foam package

FIFISH V- EVO (with arm)



- 1 x ROV (100m depth rating)
 - 5,000 Lumen (2 x 25000 Lumen LEDs)
 - 64GB (Pluggable SD card slot)
 - 97.2Wh built-in battery
 - 1 x Q-interface for multiple add-on options
- 1 x 100m tether with manual spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V-EVO)
- 1 x 2 finger Robotic Arm with Paraller griper
- Carton and foam package

FIFISH E-GO



Professional Next-Gen Operational AI Underwater
Robot

Product

Highlights

Efficient Movement

3 Knots of Speed
Agile & Quick
Omnidirectional Movement

Extensive Power

2.5+ hrs. Operational Time
Seamless Battery Replacement

Robust Add-ons

Up to 6 Attachment Ports
5kg Underwater Payload

Strong Flow Resistance

Q-Steady 3.0 Self-Stabilization
AI Vision Station Lock

Precise & Simple Controls

360° Omnidirectional Movement
Customized Controls & Movements

Modular Design & Build

Instant Power Replacement
9 sec. Accessory Installation & Disassembly

AI-Powered Functions

Image & Color Enhancements
Fish Detection & Counting

Fast-Charging Enabled

90% Power in 50 Minutes
Portable Power Station

Ultra Wide & Clear


146° Underwater Wide-angle FOV
10cm Macro Focus Range



Integrated Body

Strengthened Durability

The internal core tank of FIFISH E-GO possesses exceptional attributes such as pressure resistance, corrosion resistance, and crystallization resistance. These qualities provide excellent protective coverage for the core precision components within the tank, ensuring the overall durability and robustness of the entire unit.



Drawing inspiration from the formidable hammerhead shark, FIFISH E-GO boasts a streamlined design that embraces fluid dynamics principles, ensuring seamless adaptation to the underwater environment and consistent power performance.



The E-GO's biomimetic tail fin is derived from a nature-inspired design, offering multiple functionalities. It stabilizes the drone during underwater operations, minimizing water flow disturbances.

Quick-Release Modules

Effortless Inspections



The E-GO's modular architecture integrates essential components of the robot - including the motor, imaging, lighting, and battery - enabling rapid assembly, disassembly, and precise troubleshooting. Battery and accessory removal is achieved within seconds, while spare part replacement can be completed within 5 minutes, delivering a major boost to operational efficiency.

Precise & Agile Navigation


FIFISH E-GO delivers optimal power and propulsion for a wide range of subsea operations and scenarios.

Innovative Ring-Wing Propulsion

At its core, the FIFISH E-GO features an innovative ring-wing motor system, achieving speeds of 3 knots and demonstrating strong resistance in challenging waters. The E-GO incorporates six high-performance metal wing propellers with an expanded blade area, resulting in a 30% power increase^[3] while ensuring remarkable reliability, wear resistance, and corrosion protection.

360° Full-Motion Capability

Leveraging FIFISH patented six-directional vector layout, FIFISH E-GO achieves a complete 360° full-dimensional underwater motion, eliminating blind spots. This groundbreaking technology empowers operators with complete freedom of movement underwater, breaking through spatial and angular limitations to achieve precise inspections.



Precise & Agile Navigation

AI-Driven Stabilization

Equipped with the FIFISH Q-Steady 3.0 self-stabilization system, driven by its AI-based station lock technology, FIFISH E-GO automatically adjusts its stability based on changing water flows, ensuring remarkably steady underwater operations and inspections

Underwater Auto-Cruise

For extensive scan and search scenarios, FIFISH E-GO enables auto-cruise and predefined movement paths through the FIFISH APP. This feature frees up your hands, allowing focus to be placed on the visual screen during inspections, significantly enhancing the efficiency of crucial underwater tasks.



Fast-Charging

Redefined

Dual Battery System, Swap Batteries Without Powering Down

FIFISH E-GO features an upgraded circuit design with a dual battery system, employing advanced hot-swappable technology. This enables seamless alternating battery replacement without powering down or restarting, instantly revitalizing FIFISH E-GO to full power.

Intelligent & Portable Charging Station

Equipped with the FIFISH Q-Steady 3.0 self-stabilization system, driven by its AI-based station lock technology, FIFISH E-GO automatically adjusts its stability based on changing water flows, ensuring remarkably steady underwater operations and inspections



FIFISH E-GO E100



- 1 x ROV (100m depth rating)
 - 10,000 Lumen (2x5000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - Pre-installed removable battery (2 * 69.12Wh)
 - 2 * Extensible Q-interface for multiple add-on options
- 1 x 100m tether with manual waterproof spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for E-GO, US Plug)
- 1 x Upper tool mount
- 1 x Tool kit
- 1 x Industrial case

FIFISH E-GO E200A



- 1 x ROV (100m depth rating)
 - 10,000 Lumen (2x5000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - Pre-installed removable battery (2 x 69.12Wh)
 - 2 x Extensible Q-interface for multiple add-on options
- 1 x 200m tether with manual waterproof spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for E-GO, US Plug)
- 1 x Upper tool mount
- 1 x Tool kit
- 1 x Two finger robotic arm with parallel gripper
- 1 x Industrial case

FIFISH E-GO

E-E200A



- 1 x ROV (100m depth rating)
 - 10,000 Lumen (2*5000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - Pre-installed removable battery (2 * 69.12Wh)
 - 2 x Extensible Q-interface for multiple add-on options
- 1 x 200m tether with manual waterproof spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for E-GO)
- 1 x Upper tool mount
- 1 x Tool kit
- 1 x Two finger robotic arm with parallel gripper
- 2 x Extra 69.12Wh removable battery
- 1 x Energy station (recharge removed battery)
- 1 x Industrial case

FIFISH V6 EXPERT



Professional Compact Size & Operational ROV
Platform

Product

Highlights




12 Megapixel
Resolution



166° FOV Wide-Angle
Lens



4K UHD Camera



6000 Lumen
LED Lights



DNG (RAW)
Format Support



240 FPS Slo-Mo
Capture



Secure SD
Card Slot




12 Megapixel
Resolution



166° FOV Wide-Angle
Lens



4K UHD Camera



6000 Lumen
LED Lights




DNG (RAW)
Format Support



240 FPS Slo-Mo
Capture




Secure SD
Card Slot



VR Intelligent

Head Tracking

FIFISH V6 EXPERT applies unique sensory controls that provide the user a truly immersive underwater experience from the ROV's first-person perspective. Through the smart VR goggles, take the QYSEA patented full 360° directional and posture control of the V6 EXPERT simply by rotating the head. This intelligent feature is accurate, easy to use, and a breakthrough in underwater exploration.



4K Low Noise Shooting

for Cinematic Clarity

The FIFISH V6 EXPERT comes equipped with a UHD 4K underwater camera lens, along with a 166° ultra-wide field of view, 12-megapixel resolution, 240 FPS slow-motion filming capabilities, and much more. V6 EXPERT's vision enhancement algorithms bring out the vibrancy of the underwater environment, so you can capture every detail needed in your aquatic operations and missions.



12 Megapixel Resolution



12 Megapixel Resolution



12 Megapixel Resolution



12 Megapixel Resolution



12 Megapixel Resolution




12 Megapixel Resolution



Enhanced Lighting

for Optimal Clarity


The FIFISH V6 EXPERT comes equipped with a pair of ultra-bright 6000 lumen LED lights alongside its 4K UHD camera, delivering brilliant, vivid, and vibrant images and footage within even the darkest spaces.



Powerful Battery, Quick Charge Enabled

The V6 EXPERT has a 14400mAh super-capacity battery the provides long-lasting battery life, quick charging capabilities, as well as multiple safety and security mechanisms.

Q-CHARGE: 90% Capacity in 1 Hour



FIFISH V6 EXPERT M100

M100



Portable EPP Case



V6 EXPERT ROV



100M Tether & Spool



Controller



Spare Propellers (x2)



Controller Charger



ROV Charger

- 1 x ROV (100m depth rating)
 - 6,000 Lumen (2x3000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - 156Wh built-in battery
 - 1 x Q-interface for multiple add-on options
- 1 x 100m tether with manual pool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V6 Expert,
- 1 x EPP Box

FIFISH V6 EXPERT M100A



Industrial Case



V6 EXPERT ROV



100M Tether & Spool



Robotic Arm with
Add-on Grippers



Controller



Spare Propellers (x2)



Controller Charger



ROV Charger

- 1 x ROV (100m depth rating)
 - 6,000 Lumen (2*3000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - 156Wh built-in battery
 - 1 x Q-interface for multiple add-on options
- 1 x 100m tether with manual spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V6 Expert)
- 1 x Two finger robotic arm with parallel griper
- 1 x Industrial case

FIFISH V6 EXPERT M200



Industrial Case



V6 EXPERT ROV



200M Tether & Spool



Controller



Spare Propellers (x2)



Controller Charger



ROV Charger

- 1 x ROV (100m depth rating)
 - 6,000 Lumen (2*3000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - 156Wh built-in battery
 - 1* Q-interface for multiple add-on options
- 1 x 200m tether with manual spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V6 Expert)
- 1 x Industrial case


FIFISH V6 EXPERT M200A



Industrial Case



V6 EXPERT ROV



200M Tether & Spool



Robotic Arm with
Add-on Grippers



Controller



Spare Propellers (x2)



Controller Charger



ROV Charger

- 1 x ROV (100m depth rating)
 - 6,000 Lumen (2*3000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - 156Wh built-in battery
 - 1* Q-interface for multiple add-on options
- 1 x 200m tether with manual spool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V6 Expert)
- 1 x Two finger robotic arm with parallel gripper
- 1 x Industrial case

FIFISH V6 EXPERT MP200



M100

+



OPSS

M100:

- 1 x ROV (100m depth rating)
 - 6,000 Lumen (2x3000 Lumen LEDs)
 - 128GB (Pluggable SD card slot)
 - 156Wh built-in battery
 - 1 x Q-interface for multiple add-on options
- 1 x 100m tether with manual pool
- 1 x Remote Controller
- 2 x Chargers (1 for RC, 1 for V6 Expert,
- 1 x EPP Box

OPSS(200m) with manual spool:

- 1 x OPSS Power Management (OPSS PM)
- 1 x OPSS ROV Mount
- 1 x The AC input cable for OPSS PM
- 1 x OPSS Manual Spool with 200M cable
- 1 x Electric Power Tank (E Tank)
- 1 x EPP Box

FIFISH PRO W6



Industrial Grade ROV Platform

Product Highlights




350m Dive Depth




3 Knots Ocean Current Resistance



Dual 4K Camera System



12000 Lumen LED Lights



Laser Scaler (10cm)



Robotic Arm



Swappable Battery




5 Q-IF Multi-Tool Extension Interfaces




Posture Lock Function



Depth Lock Function



Station Lock System (Optional)




Distance Sensor (Optional)



Altitude Sensor (Optional)



Obstacle Avoidance (Optional)



Onshore Power Supply System (Optional)



Underwater Quick Positioning System (Optional)



Innovative Dual 4K

Camera

FIFISH PRO W6's Dual 4K Camera System delivers an ultra-wide field of view, facilitates greater efficiency for inspection tasks, as well as provides operators a complete picture of the surrounding underwater environments. The system allows for comprehensive inspections to be performed and, with the FIFISH patented software, the collection of a great range of data beneficial for professional organizations and teams.


4K Dual Camera System

- Pixels: 12 Megapixels
- Video resolution: 4K UHD
- Signal Format: PAL and NTSC
- Lens: Ultra-Wide FOV Lens
- Vertical FOV: 100°
- Horizontal FOV: 166°
- ISO: 6400 (Max)
- Lights: 12,000 Lumen LEDs



Powerful & Removable

Lithium Battery




The W6 battery capsule has a large amount of power. It is very durable and adopts a removable design. It has up to 4 hours of continuous battery life (depending on operating conditions), with a quick charging mode that can charge up to 70% in one hour.

High Precision Measuring Tools


Laser Scaler, Distance Lock Module & Compass Ruler

The Laser Scaler System & 4D Distance Lock Module deliver measurements of underwater objects with high accuracy. For ship inspections, operators are able to efficiently and precisely measure the scale of cracks and openings to effectively minimize and prevent further chances of damage. Combined with the compass ruler tool, the operator can also physically measure small objects underwater and gather real-time results.

Laser Scaler (Standard)



4D Distance Lock Module/
AR Ruler Function (Optional)



Compass Ruler (Optional)



Station Lock System

Optional Add-On

The FIFISH PRO W6's Station Lock algorithm is an adaptive and intuitive system, locking the ROV position underwater and precisely returning to its locked position against any interferences from the underwater environments. Execute and deliver inspections with exceptional stability, smoothness, and precision



FIFISH PRO W6


Navi



- 1 * ROV (350m depth rating), 3 knots speed
 - - 12,000 Lumen (2*6000 Lumen LEDs)
 - - Dual 4K Q-Camera
 - - 2 * 128GB (Built-in each camera)
 - - 388Wh removable battery
 - - Multiple Q-interface for multiple add-on options
 - - 2 * Laser Scaler
 - 1 * 305m tether with manual spool
 - 1 * Remote Controller
 - 3 * Chargers (1 for RC, 2 for W6 battery)
 - 1 * Three finger robotic arm(standard)
 - 2 * Industrial Case (1 for ROV, 1 for accessories)


 - 1* Q-DVL-L : Station Lock Hovering/ Inertial Navigation (UINS)
 - -Depth Rating 350m
 - -Working Temperature
 - -100-600-Transducer Frequency 600 kHz
 - -Transducer Setup 4-beamconvex array
 - -Min. Altitude 10cm
 - -Max. Altitude 100m
 - -Max. Velocity 4m/s -Velocity Resolution 0.1 mm/s QYSEA
- Application Station Lock, Inertial Navigation




 Bangalore:
Fourth Floor, #1664, 27th Main,
Sector 2, HSR Layout, Bangalore

 hello@xboom.in

 hello@xboom.in

 www.xboom.in

 084478 31821

GST No : 29CTKPS7090H1ZW